misostudy.com
smart learning



Complete CHEMISTRY

IIT-JEE · NEET · CBSE eBOOKS

CLASS 11&12th

CLASS 12th

Chemical Kinetics

misostudy

01. Types of Reactions

On the basis of reaction rates, the chemical reactions have been classified into the following three groups

Very fast or instantaneous reactions :

These reactions occur at a very fast rate. Generally these reactions involve ionic species and known as ionic reaction.

These reactions take about 10^{-14} seconds for completion.

Example

(i) $AgNO_3 + NaCl \rightarrow \underset{\text{(ppt.)}}{AgCl} + NaNO_3$ (Precipitation reaction)

(ii) $\underset{\text{(acid)}}{HCl} + \underset{\text{(base)}}{NaOH} \rightarrow \underset{\text{(salt)}}{NaCl} + H_2O$ (Neutralization reaction)

Moderate reaction :

These type of reactions proceed with a measurable rates at normal temperature. In this a large number of bonds have to be broken in reactants molecules and a large number of new bonds have to be formed in product molecules. Mostly these reactions are molecular in nature.

Example

(i) Decomposition of H_2O_2 : $2H_2O_2 \rightarrow 2H_2O + O_2$

(ii) Decomposition of N_2O_5 : $2N_2O_5 \rightarrow 2N_2O_4 + O_2$

(iii) Hydrolysis of ester: $CH_3COOC_2H_5 + NaOH \rightarrow CH_3COONa + C_2H_2OH$

Very slow reactions :

These reactions are extremely slow and take months together to show any measurable change. The rate of such type of reactions are very slow. So, it is also very difficult to determine the rate of these reactions.

Example

(i) $Fe_2O_3 + xH_2O \rightarrow \underset{\text{Hydrated ferric oxide (Rust)}}{Fe_2O_3.xH_2O}$

(ii) Reaction between H_2 and O_2 to form H_2O at ordinary temperature in absence of catalyst.

02. Rate of Reaction

The change in concentration of either reactant or product per unit time.

Formula : $r = \frac{dc}{dt}$

dc is change in concentration of reactant or product in a small time interval dt.

Example $N_2 + 3H_2 \rightarrow 2NH_3$

(i) Rate of formation of ammonia $= + \frac{d[NH_3]}{dt}$

(ii) Rate of disappearance of nitrogen $= - \frac{d[N_2]}{dt}$

(iii) Rate of disappearance of hydrogen $= - \frac{d[H_2]}{dt}$

Rate of reaction $= + \frac{1}{2} \frac{d[NH_3]}{dt} = - \frac{d[N_2]}{dt} = - \frac{1}{3} \frac{d[H_2]}{dt}$

03. Average Rate and Instantaneous Rate of Reaction

A difficulty arises in stating the rate of reaction as above. This is because according to the Law of Mass Action, the rate of reaction depends upon the molar concentrations of reactants which keep on decreasing with the time (while those of the products keep on increasing). Therefore, the rate of reaction does not remain constant throughout.

Thus the rate of reaction as defined above is the average rate or reaction' during the time interval chosen. To know the rate of reaction at any instant of time during the course of a reaction, we introduce the term 'instantaneous rate of reaction' which may be defined as follows:

The rate of reaction at any instant of time is the rate of change of concentration (i.e. change of concentration per unit time) of any one of the reactants or products at that particular instant of time. To express the instantaneous rate of reaction, as small interval of time (dt) is chosen at that particular instant of time during which the rate of reaction is supposed to be almost constant. Suppose the smell change in concentration is dx in the small interval of time dt. Then the rate of reaction at that instant is given by dx/dt.

04. Calculation of Instantaneous Rate of Reaction

To know the rate of the reaction at any time t, a tangent is drawn to the curve at the point corresponding to that time figure and it is extended on either side so as to cut the axes, say at the points A and B. Then

$$\text{Rate of reaction} = \frac{\text{Change in the concentration}}{\text{Time}} = \frac{\Delta x}{\Delta t} = \frac{OA}{OB} \text{ Slope of the tangent}$$

Thus the slope of the tangent gives the rate of reaction.

05. Calculation of the average rate of reaction

To calculate the average rate of reaction between any two instants of time say t_1 and t_2, the corresponding concentrations x_1 and x_2 are noted from the graph. Then

$$\text{Average rate of reaction} = \frac{x_2 - x_1}{t_2 - t_1}$$