

Complete  
**CHEMISTRY**

**IIT-JEE · NEET · CBSE eBOOKS**

CLASS 11 & 12th



Learning Inquiry  
8929 803 804

**CLASS 11th**

**Thermodynamics and  
Thermochemistry**

**misostudy**




## Thermodynamics

### 01. Introduction

The study of energy transformations is the subject matter of thermodynamics.

#### Some Basics Terms



#### Types of system

- (I) **Based on exchange of mass and energy**
  - (i) **Isolated system** : It cannot exchange matter and energy with the surrounding.
  - (ii) **Closed system** : It can exchange energy but not matter.
  - (iii) **Open system** : It can exchange matter.
- (II) **Based on system composition**
  - (i) **Homogeneous system** : Made up of one phase only
  - (ii) **Heterogeneous system** : More than one phase.

### 02. Properties of a System

Particular set of its measurable quantities.

**Intensive property** : value does not depend on the size (or mass) of the system.

**Extensive property** : value depends on the size (or mass) of the system.

Variables like P, V, T are *State Functions* or *State Variables* because their values depends only on initial and final state.

#### Path function

Function which depends on the path .

**State functions** : Pressure, volume, temperature, Gibb's free energy, internal energy, entropy

**Path function** : Work, heat, Loss of energy due to friction

### 03. Reversible and Irreversible Process

S.No.	Reversible process	Irreversible process
1.	Driving force is infinitesimally small.	Driving force is large and finite. PV
2.	A reversible heat transfer take place across temperature difference $dT$	Irreversible heat transfer take place across difference $\Delta T$
3.	It is an ideal process.	It is a real process
4.	It take infinite time for completion of process.	It take finite time for completion of process.

**Cyclic Process**  $\Delta E = 0$  and  $\Delta H = 0$

**Isochoric Process**  $\Delta V = 0$

**Isobaric Process**  $\Delta P = 0$

## 04. Work

**PV- Work analysis :**

For small displacement  $dx$  due to force  $F$ , work done on the system.

$$dw = F \cdot dx$$

Also  $F = PA$

$$dW = PA \cdot dx$$

$$V = (\ell - x)A$$

$$\Rightarrow dV = -A \cdot dx \quad \Rightarrow dW = -P_{\text{ext}} \cdot dV$$

$$\Rightarrow W_{PV} = - \int_{V_1}^{V_2} P_{\text{ext}} dV$$

• **Isothermal Process**  $dT = 0$

• **Adiabatic process**  $q = 0$

## 05. Heat

Heat is defined as the energy that flows into or out of a system.

(i)  $q_V = nC_V dT$  (for constant volume process)

(ii)  $q_P = nC_P dT$  (for constant pressure process)

(iii)  $C_{p,m} - C_{v,m} = R$

(iv)  $C_V$  &  $C_P$  depends on temperature even for an ideal gas. ( $C = a + bT + cT^2 \dots$ )

## 06. Internal Energy (E & U)

$$U = U_{\text{Kinetic}} + U_{\text{Potential}} + U_{\text{Electronic}} + U_{\text{nuclear}} + \dots$$

- NOTE**  (i)  $U$  is a state function & is an extensive property.  
 (ii)  $\Delta U = q_V$ , heat supplied to a gas constant volume, since all the heat supplied goes to increase the internal energy of the gas.  
 (iii)  $U = f(T, V)$   
 (iv)  $dU = C_V dT$   
 (v)  $\Delta U = \int C_V \cdot dT$


## 07. Degree of Freedom and Equipartition principle

The **degree of freedom** in a molecule are given by the number of coordinates required to locate all the mass points (atoms) in a molecule. it has three degree of freedom corresponding to translation motion in the three independent spatial directions X, Y and Z. If a molecule contain N atoms, each atom contributes these three degree of freedom, so the molecule has a total of 3N degree of freedom.

Atomicity	$n_u$	$n_{R_0}$	$n_{vib}$	$C_V$		$C_P$		$\gamma$	
				Excl.Vib	Incl.Vib	Excl.Vib	Incl.Vib	Excl.Vib	Incl.Vib
Mono	3	0	0	$\frac{3}{2}R$	$\frac{3}{2}R$	$\frac{5}{2}R$	$\frac{5}{2}R$	$\frac{5}{3}$	$\frac{5}{3}$
Di	3	2	2	$\frac{5}{2}R$	$\frac{7}{2}R$	$\frac{7}{2}R$	$\frac{9}{2}R$	$\frac{7}{5}$	$\frac{9}{7}$
Tri	Linear	3	2	$\frac{5}{2}R$	$\frac{13}{2}R$	$\frac{7}{2}R$	$\frac{15}{2}R$	$\frac{7}{5}$	$\frac{15}{13}$
	Non Linear	3	3	3R	6R	4R	7R	$\frac{4}{3}$	$\frac{7}{6}$

## 08. Laws of Thermodynamics

**Zeroth law of thermodynamics** : It is based on thermal equation, two systems in thermal equilibrium with a 3<sup>rd</sup> system are also in thermal equilibrium with each other.



### First Law:

“Total energy of universe remain constant”. It is law of conservation of energy.

$$\Delta U = q + W,$$

## 09. Enthalpy

Enthalpy is a measure of the total energy of a thermodynamics system.

$$H = U + PV$$

$$dH = dU + d(PV)$$

### Property of Enthalpy parameter

- (i) Enthalpy is a thermodynamic potential. It is a state function and an extensive quantity.
- (ii) The change  $\Delta H$  is positive endothermic reaction, and negative in exothermic process.
- (iii)  $\Delta H = \Delta U + P \Delta V$   
combining with first law.

$$\Delta H = q_p = \text{Heat added at constant pressure}$$